



HUB ONE

USB-C 3.2 HUB

for

MacBook Neo / Tablet / Laptop

PUUSBCHUB5BLU


PUUSBCHUB5PIN

PUUSBCHUB5SIL

PUUSBCHUB5YEL

USER MANUAL

MANUALE D'USO



TECHNICAL FEATURES / SPECIFICHE TECNICHE

USB-C Cable: USB 3.2 Gen 1 PD 100,0 W Pass-through (up to 85,0 W charging + 15,0 W for docking)* + DP 1.4

USB-C 1: USB-C PD 100,0 W Pass-through + 2.0 Data (480 Mbps)

USB-C 2: Data Output: USB 2.0 480 Mbps

Data Output USB-A 1: USB 3.2 Gen 1 (5 Gbps)

Data Output USB-A 2: USB 2.0 480 Mbps

HDMI 2.0 Output: 4K 60 Hz Ultra HD

Mirror and Extend screen

Connect & Stream



Mirror Mode



Extended Mode




USB-C 3.2
PD 100 W
Input/Output




HDMI
4K 60 Hz

The images are for illustration purposes only.

SBS spa
Via Circonvallazione s/n
28010 Miasino (No) Italy
customercare@puro.com

PURO is a registered trademark.

MacBook Neo is a trademark
of Apple Inc.



Made in China

